

THERMOCROMEX OVER CEMENT BOARD TERMINATION AT WOOD WINDOW

CEMENT BOARD (BY OTHERS)
 FIBERGLASS MESH EMBEDDED
 IN POLYMER BASED CEMENT
 1/8" MIN. THERMOCROMEX
 CASING BEAD (BY OTHERS)

NOTE: All joints of cement board must be treated with 4" fiberglass mesh embedded in polymer based cement.

WOOD WINDOW (BY OTHERS)

HEAD

METAL HEAD FLASHING WITH
 END DAMS (BY OTHERS)

SEALANT (BY OTHERS)

1/8" MIN. THERMOCROMEX

CEMENT BOARD (BY OTHERS)
 FIBERGLASS MESH EMBEDDED IN
 POLYMER BASED CEMENT

CASING BEAD (BY OTHERS)

BACKER ROD AND SEALANT
 (BY OTHERS)

WOOD WINDOW (BY OTHERS)
 BACKER ROD AND SEALANT
 (BY OTHERS)

JAMB

WOOD WINDOW (BY OTHERS)

12mm (1/2")
 MIN. TYP.

CASING BEAD (BY OTHERS)

SILL FLASHING W/ END DAMS
 (BY OTHERS)

SEALANT (BY OTHERS)

FIBERGLASS MESH EMBEDDED IN
 POLYMER BASED CEMENT

CEMENT BOARD (BY OTHERS)

1/8" MIN THERMOCROMEX

SCALE = 3" = 1'-0"

SILL



www.thermocromex.com

NOTE: ALL COMPONENTS DESIGNATED IN DRAWINGS SHALL BE DESIGNED, DETAILED AND ENGINEERED BY REPRESENTATIVES OF THE ARCHITECT, OWNER OR CONTRACTOR IN COMPLIANCE WITH MODEL CODES, ARCHITECTURAL AND ENGINEERING REQUIREMENTS PERTAINING TO SPECIFIC BUILDING PROJECTS. SOUTHWEST PROGRESSIVE ENTERPRISES INC., MAKES NO REPRESENTATION REGARDING CONFORMITY OF ITS SUGGESTIONS TO MODEL BUILDING CODES, ENGINEERING CRITERIA, SPECIFIC APPLICATIONS OR PROJECT LOCATIONS. SOUTHWEST PROGRESSIVE ENTERPRISES INC., MAKES NO WARRANTY, EXPRESSED OR IMPLIED AS TO THE ARCHITECTURAL DESIGN, ENGINEERING, OR WORKMANSHIP OF PROJECTS USING THERMOCROMEX.